

# TeKCEM

## Presentation of the MIMOMatch-F patent portfolio

30 September 2019 — version 3

### SUMMARY OF THE MIMOMatch-F PATENT PORTFOLIO

**Sector:** wireless communication

**Technical area:** automatic antenna tuning

Table I. Patent families of the MIMOMatch-F patent portfolio	
Title of the patent family	Family
Method for automatically adjusting a tunable matching circuit, and automatic tuning system using this method	P64
Method for automatic adjustment of a tunable passive antenna and a tuning unit, and apparatus for radio communication using this method	P71
Method for automatically adjusting a tunable passive antenna and a tuning unit, and apparatus for radio communication using this method	P72

**Status:** each patent family includes a granted patent of the U.S.A.

[Link to the patents](#)

**Short description:** The MIMOMatch-F portfolio consists of the inventions P64, P71 and P72 of Tekcem, which belong to the space “adaptive antenna tuning for a wireless device using one or more antennas”. The inventions of this portfolio have the following characteristics:

- they use an antenna tuner and are suitable for user equipments (UEs) of wireless networks;
- they use an accurate open-loop control scheme, which provides a very fast automatic tuning of an antenna tuner, over a broad frequency range;
- they adaptively compensate the effects of the electromagnetic characteristics of the surroundings (including the user interaction), to deliver an optimal automatic tuning, even when antenna tuner losses are significant;
- they explicitly cover uplink and downlink antenna selection techniques.

**Disclaimer:** information contained herein is believed to be reliable, but no warranty is given as to its accuracy or completeness.

# Table of contents

	page
1. Listing of the MIMOMatch-F portfolio .....	2
2. Notes on terminology .....	3
3. Context and state of the art .....	4
4. Technical presentation of the inventions .....	4
5. Frequently asked questions .....	6
6. Presentation of Tekcem .....	6
6.1 Business model of Tekcem .....	6
6.2 Information about inventions previously sold by Tekcem .....	7
7. The inventors .....	8
Annexes .....	8

## 1. Listing of the MIMOMatch-F portfolio

Table II. Items of the MIMOMatch-F patent portfolio						
Item ID	Jurisdiction	Appl. no.	Filing date	Patent or PCT publ. no.	Issue date	Family
P64-A	France	16/00273	16 Feb. 2016	Pending	Pending	P64
P64-B	PCT	PCT/IB2016/056839	14 Nov. 2016	WO2017/141086	N/A	
P64-C	U.S.A.	15/360,519	23 Nov. 2016	9,628,135	18 Apr. 2017	
P71-A	France	17/70372	12 Apr. 2017	FR1770372	12 Apr. 2019	P71
P71-B	PCT	PCT/IB2017/055976	28 Sep. 2017	WO 2018/189578	N/A	
P71-C	U.S.A.	15/724,440	04 Oct. 2017	9,960,491	01 May 2018	
P72-A	France	17/70375	13 Apr. 2017	FR1770375	12 Apr. 2019	P72
P72-B	PCT	PCT/IB2017/056003	29 Sep. 2017	WO 2018/189579	N/A	
P72-C	U.S.A.	15/782,320	12 Oct. 2017	10,008,777	26 June 2018	

At the date of this document, Tekcem is the sole owner of and has good and marketable title to the items listed in Table II, which are free and clear of all liens, mortgages, security interests or other encumbrances, and restrictions on transfer. At the date of this document, no rights or licenses have been granted under the items listed in Table II.

## 2. Notes on terminology

**Antenna interaction.** Antenna interaction between the antennas of a multiport antenna array results in a significantly non-diagonal impedance matrix. It is caused by a narrow spacing between the antennas, and is more pronounced in the lower frequency bands. Antenna interaction may produce a mismatch loss and noise in the downlink, a mismatch loss and cross modulation in the uplink, and antenna correlation.

**Antenna tuner (AT).** Traditional antenna tuners have a single input port and a single output port. The inventions P64, P71 and P72 use a single-input-port and single-output-port antenna tuner, referred to as “single-input-port and single-output-port tunable matching circuit” in P64, and as “single-input-port and single-output-port tuning unit” in P71 and P72. Each patent application includes a detailed definition of a single-input-port and single-output-port antenna tuner. Several other inventions of Tekcem use a multiple-input-port and multiple-output-port antenna tuner.


**Aperture tuning.** Aperture tuning means adjusting one or more tunable passive antennas.

**Closed-loop.** “closed-loop control”, also referred to as “feedback control”, means control in which the control action is made to depend on a measurement of the controlled variable (see “IEC multilingual dictionary of electricity” edited by the *Bureau Central de la Commission Electrotechnique Internationale*).

**Effects of the electromagnetic characteristics of the surroundings (EECS).** The effects, on a wireless link, of the interaction between the one or more antennas of a user equipment (UE) and the medium surrounding these antennas. These effects comprise:

- ◆ a variation in the impedance of the antenna, or in the impedance matrix of the antennas;
- ◆ a variation in the radiation efficiency;
- ◆ a variation in the directivity of the system formed by the UE and the user.

For instance, the electromagnetic interaction between an antenna and a user holding the UE, often referred to as “user interaction” and illustrated below, can severely degrade the radio link.



**Impedance tuning.** Impedance tuning means adjusting one or more antenna tuners.

**Open-loop.** In the literature on antenna tuners, “open-loop” often erroneously refers to a control scheme without measurement of an electrical variable, so that the antenna tuner is typically adjusted only as a function of the operating frequency. In this document and in line with standard terminology, “open-loop control” means control which does not utilize a measurement of the controlled variable (see “IEC multilingual dictionary of electricity” edited by the *Bureau Central de la Commission Electrotechnique Internationale*).

**Tunable passive antenna (TPA).** The inventions P71 and P72 use one or more tunable passive antennas. Each patent application includes a detailed definition of a tunable passive antenna.

**User interaction.** See Effects of the electromagnetic characteristics of the surroundings (EECS), above.

### 3. Context and state of the art

In current premium tier mobile phone designs, automatic antenna tuning, which adjusts a tunable passive antenna (TPA) and/or an antenna tuner (AT) to improve performance, has become increasingly prominent as a method to support the growing range of LTE frequencies, and to mitigate possible effects of the electromagnetic characteristics of the surroundings (EECS). For instance, the electromagnetic interaction between an antenna and a user holding the mobile phone, often referred to as *user interaction*, can severely degrade the radio link, unless antenna tuning is implemented.

Antenna tuning is taken into account in MIPI alliance specifications, and many manufacturers provide components for antenna tuning or implement them in LTE user equipments (UEs). For instance, one of the key aspects of the latest high-performance modems of Qualcomm is their antenna tuning capability, which may use “Qualcomm® TruSignal™ antenna boost technology” and “Qualcomm® RF360 dynamic antenna matching tuner”. For instance, an IHS Markit teardown of a Galaxy S8+ found that the smartphone uses both impedance tuning and aperture tuning solutions from Qualcomm, the QAT3550 and the QAT3514.

Antenna tuning can be used to: reduce the size of the antennas, allow to use them on more frequencies, and improve the characteristics of the radio link. Thus, it increases the overall power efficiency, signal consistency, and achievable data speed. For consumers, automatic antenna tuning can provide a better data and voice experience indoors and outdoors, and longer battery life. For original equipment manufacturers (OEMs), automatic antenna tuning may help reduce product size (form factor), and time-to-certification, by addressing the risk of redesign iterations caused by insufficient antenna performance. It is recognized that fast and accurate antenna tuning will play a more important role in UEs for 5G.

Many methods are available for automatically tuning a single-input-port and single-output-port AT. The article shown in Annex B defines several types of antenna tuner control scheme. Among the types which can provide a very fast automatic tuning, we find (see Table I of the article, in page A-6 below): type 0 and type 3 control schemes. Both types use open-loop control and are model-based. Type 0 is inherently inaccurate. Type 3 is more accurate and can effectively compensate the effects of the electromagnetic characteristics of the surroundings (EECS). However, prior art automatic antenna tuning systems using a type 3 control scheme for the AT have the following limitations:

- they often only provide a medium accuracy over the relevant temperature range;
- their tuning frequency-range is not broad, in contrast to the requirements of LTE and 5G New Radio; and
- they ignore all multi-antenna techniques used in LTE and 5G New Radio.

### 4. Technical presentation of the inventions

Antenna selection is a multi-antenna technique used in LTE and 5G New Radio (it was the only uplink multi-antenna technique available for the UE of LTE in 3GPP release 8). All patent families of the MIMOmatch-F patent portfolio explicitly cover uplink and downlink antenna selection techniques (see 8th embodiment and Fig. 10 of P64-B; 12th embodiment and Fig. 17 of P71-B; and 10th embodiment and Fig. 12 of P72-B). This is why, in what follows, we consider a wireless device comprising one or more antennas, or one or more tunable passive antennas (TPAs).

All patent families of the MIMOmatch-F patent portfolio implement an automatic adjustment of a single-input-port and single-output-port antenna tuner (AT), using a type 3 control scheme according to the definition of the article shown in Annex B. Thus, they may be compared to other type 3 control schemes such as the ones disclosed in the US patents 5,564,086 and 6,414,562, both assigned to Motorola, Inc. Such methods are very fast, and they can theoretically provide an optimal automatic tuning, even when antenna tuner losses are significant, because the designer can select any aim of the control scheme, for instance maximizing the average power delivered to the antennas during emission.

Unfortunately, in practice, prior art type 3 control scheme often only provide a disappointing accuracy over the relevant temperature range and the relevant frequency range.

A first cause of this disappointing accuracy in prior art type 3 control schemes is that the real and imaginary parts of the impedance of adjustable impedance devices typically used in the AT of a UE both depend on a control voltage and on temperature. For instance, the capacitance and the loss tangent of a barium strontium titanate (BST) varactors both significantly depend on temperature. This problem is solved in the patent family P64, by utilizing a suitable model of the AT, and one or more temperature measurements.

A second cause of this disappointing accuracy in prior art type 3 control schemes is that reasonably accurate impedance measurements are needed in a certain part of the complex plane. If this part is large, this requirement is difficult to meet at a low cost. This problem is solved in the patent families P71 and P72, by utilizing a preliminary automatic adjustment of the one or more TPAs used for radio communication, providing a coarse tuning such that said part of the complex plane is much smaller.

Another advantage of performing an automatic adjustment of the one or more TPAs (for a coarse tuning), followed by an automatic adjustment of the AT (for a fine tuning), is that an accurate adjustment of the AT can be obtained over a much broader frequency range than with one or more non-tunable antennas.

The patent references cited during the prosecution of P64-C, P71-C and P72-C by the USPTO are summarized in Annex A below. Some characteristics of the inventions are summarized in Table III, where a number in brackets, for instance (2), refers to one of the notes following the table, where the column “AT control scheme” refers to the control scheme used to automatically adjust the AT, and where the column “TPA control scheme” refers to the control scheme used to automatically adjust the one or more TPAs.

Table III. Characteristics of the inventions of the MIMOmatch-F patent portfolio				
Family	Antennas	Measurements	AT control scheme	TPA control scheme
P64	one or more	vector at output port	type 3	none
P71	one or more	vector at output port	type 3	open-loop or closed loop (1)
P72	one or more	vector at output port	type 3	closed-loop (2)

Note 1: as regards the TPA control scheme, the claims of P71 are broader than the claims of P72, and cover open-loop control and closed loop control; however, the embodiments of P71 only disclose open-loop control schemes for the TPA (see: 4th embodiment, page 18 lines 23 to 28 of P71-B; 5th embodiment, page 21 lines 26 to 31 of P71-B; and 10th embodiment, page 29 lines 16 to 23 of P71-B).

Note 2: as regards the TPA control scheme, the claims and the embodiments of P72 only cover closed-loop control (see: page 9 lines 3 to 9 of P72-B; and 4th embodiment, page 18 lines 17 to 26 of P72-B).

This presentation shows that the inventions of the MIMOmatch-F portfolio can be used to simultaneously:

- obtain a very fast automatic tuning of a single-input-port and single-output-port AT, by utilizing an accurate open-loop (type 3) control scheme;
- accurately operate over a broad frequency range, as allowed by the automatic adjustment of TPAs and of the single-input-port and single-output-port AT;
- adaptively compensate the effects of the electromagnetic characteristics of the surroundings (including the user interaction), to deliver an optimal automatic tuning, even when antenna tuner losses are significant;
- be used in combination with uplink and downlink antenna selection techniques.

## 5. Frequently asked questions

**Question 1.** Is there any standard-essential patent in the MIMOMatch-F portfolio ?

**Answer 1.** No. Note that Tekcem is not a member of any standard-setting organization, and that no patent of the MIMOMatch-F portfolio is subject to FRAND conditions.

**Question 2.** What is the MIMOMatch-F portfolio useful for ?

**Answer 2.** The MIMOMatch-F portfolio is important for manufacturers of UEs, (for instance Samsung, Apple, Huawei, etc), and for the manufacturers of baseband processors (for instance Samsung, Qualcomm, MediaTek, Intel, etc), because it discloses several advantageous antenna tuning control schemes.

**Question 3.** Is any third party currently using an invention of the MIMOMatch-F portfolio ?

**Answer 3.** We do not know, but it is possible. Manufacturers do not publicly disclose the antenna tuning control schemes used in their products. Thus, detecting infringement requires some investigation. Note that, in a global first-to-file patent system, relying on secrecy is very dangerous for manufacturers, because secrets and confidential disclosures are not part of prior art.

The lack of evidence of use is not the best configuration for an NPE seeking quick profit. This portfolio is meant to be acquired by a manufacturer who is looking for the best solution for his products.

**Question 4.** Is an infringement of the MIMOMatch-F portfolio easy to detect ?

**Answer 4.** Yes, for a manufacturer of UEs, this is easy.

Detecting an infringement is easy because you do not need to know the exact algorithms that are being used. To determine the method which is implemented, you can look at the hardware and find out: (a) if an AT and/or one or more TPAs are used; (b) how the tuning control signals received by the AT and/or the one or more TPAs behave when the operating frequency changes; (c) how the tuning control signals received by the AT and/or the one or more TPAs behave when an object is moved in the vicinity of the antennas; (d) how the tuning control signals received by the AT and/or the one or more TPAs behave when the temperature of the AT is varied; and (e) if the hardware makes measurements before the AT or after the AT. Detecting an infringement only requires an inspection of the UE circuits, and simple measurements across discrete devices. There is no need to look at the silicon inside chips, or to know the signal processing code. All this is simple for a manufacturing company.

## 6. Presentation of Tekcem

### 6.1 Business model of Tekcem

The main business of Tekcem has three steps: first, Tekcem purchases R&D work of the Excem group, in the form of reports and software, the report contractually including the description of inventions; second, Tekcem files and prosecutes patent applications for said inventions; third, Tekcem sells intellectual property rights for the inventions (patent applications and patents), and, separately, the know-how and software.

## 6.2 Information about inventions previously sold by Tekcem

Tekcem has sold the following 13 inventions of the Excem group in the area of radio communication, under the trademark MIMOMatch:

- [P62] French patent appl. 15/01780 of 26 August 2015, international appl. PCT/IB2015/057161 of 17 September 2015 (WO 2017/033048), and US patent No. 9,966,930. Method for automatically adjusting a tuning unit, and automatic tuning system using this method. Sold to Samsung Electronics, Co, Ltd in 2016, as a part of patent portfolio MIMOMatch-D.
- [P61] French patent appl. 15/01290 of 22 June 2015, international appl. PCT/IB2015/057131 of 16 September 2015 (WO 2016/207705), and US patent No. 10,116,057. Method and apparatus for automatic tuning of an impedance matrix, and radio transmitter using this apparatus. Sold to Samsung Electronics, Co, Ltd in 2016, as a part of patent portfolio MIMOMatch-D.
- [P60] French patent appl. 14/01221 of 28 May 2014, international appl. PCT/IB2015/052974 of 23 April 2015 (WO 2015/181653), and US patent No. 10,224,901. Radio communication using a plurality of selected antennas. Sold to Samsung Electronics, Co, Ltd in 2015, as a part of patent portfolio MIMOMatch-C.
- [P59] French patent appl. 14/00666 of 20 March 2014, international appl. PCT/IB2015/051644 of 6 March 2015 (WO 2015/140660), and US patent No. 9,680,510. Radio communication using tunable antennas and an antenna tuning apparatus. Sold to Samsung Electronics, Co, Ltd in 2015, as a part of patent portfolio MIMOMatch-C.
- [P58] French patent appl. 14/00606 of 13 March 2014, international appl. PCT/IB2015/051548 of 3 March 2015 (WO 2015/136409), and US patent No. 9,654,162. Radio communication using multiple antennas and localization variables. Sold to Samsung Electronics, Co, Ltd in 2015, as a part of patent portfolio MIMOMatch-C.
- [P57] French patent appl. 13/00878 of 15 April 2013, international appl. PCT/IB2014/058933 of 12 February 2014 (WO 2014/170766), and US patent No. 9,077,317. Method and apparatus for automatically tuning an impedance matrix, and radio transmitter using this apparatus. Sold to Samsung Electronics, Co, Ltd in 2015, as a part of patent portfolio MIMOMatch-B.
- [P56] French patent appl. 13/00665 of 21 March 2013, international appl. PCT/IB2013/060481 of 28 November 2013 (WO 2014/147458), and US patent No. 9,294,174. Method and device for radio reception using a plurality of antennas and a multiple-input-port and multiple-output-port amplifier. Sold to Samsung Electronics, Co, Ltd in 2015, as a part of patent portfolio MIMOMatch-B.
- [P55] French patent appl. 12/02564 of 27 September 2012, international appl. PCT/IB2013/058574 of 16 September 2013 (WO 2014/049486), and US patent No. 9,337,534. Method and device for radio reception using an antenna tuning apparatus and a plurality of antennas. Sold to Samsung Electronics, Co, Ltd in 2015, as a part of patent portfolio MIMOMatch-B.
- [P54] French patent appl. 12/02542 of 25 September 2012, international appl. PCT/IB2013/058423 of 10 September 2013 (WO 2014/049475), and US patents No. 9,621,132 and No. 10,187,033. Antenna tuning apparatus for a multiport antenna array. Sold to Samsung Electronics, Co, Ltd in 2015, as a part of patent portfolio MIMOMatch-B.
- [P41] French patent appl. 08/03982 of 11 July 2008, international appl. PCT/IB2009/051358 of 31 March 2009 (WO 2010/004445), and US patent No. 7,952,429. Multiple-input and multiple-output amplifier having pseudo-differential inputs. Sold to Apple, Inc. in 2012, as a part of patent portfolio MIMOMatch-A.
- [P34] French patent appl. 06/06502 of 18 July 2006, international appl. PCT/IB2007/001589 of 5 June 2007 (WO 2008/010035), and US patent No. 7,983,645. Method and device for radio reception using a plurality of antennas. Sold to Apple, Inc. in 2012, as a part of patent portfolio MIMOMatch-A.
- [P33] French patent appl. 06/05633 of 23 June 2006, international appl. PCT/IB2007/001344 of 26 April 2007 (WO 2008/001168), and US patent No. 7,940,119. Multiple-input and multiple-output amplifier using mutual induction in the feedback network. Sold to Apple, Inc. in 2012, as a part of patent portfolio MIMOMatch-A.
- [P30] French patent appl. 06/00388 of 17 January 2006, international appl. PCT/IB2006/003950 of 19 December 2006 (WO 2007/083191), and US patent No. 7,642,849. Multiple-input and multiple-output amplifier. Sold to Apple, Inc. in 2012, as a part of patent portfolio MIMOMatch-A.

Thus, Tekcem sold, in the area of radio communication:

- 9 inventions (P54 to P62) to Samsung Electronics, Co, Ltd, in 2015 and 2016; and
- 4 inventions (P30, P33, P34 and P41), to Apple, Inc., in 2012.

Tekcem also sold 16 inventions on signal integrity and integrated circuit interfaces, including 2 inventions sold to Apple, Inc. in 2012.

## 7. The inventors

The inventors of the MIMOMatch-F portfolio are Evelyne Clavelier and Frédéric Broyde.

[Link to an on-line list of their patent applications](#)

[Link to an on-line list of their published articles](#)

**Evelyne Clavelier** was born in France in 1961. She received the M.S. degree in physics engineering from the Ecole Nationale Supérieure d'Ingénieurs Electriciens de Grenoble (ENSIEG). She is a senior member of the IEEE.

She is co-founder of the Excem corporation, based in Maule, France. She is CEO of Excem. She is also manager of Eurexcem (a subsidiary of Excem) and President of Tekcem, a company selling or licensing intellectual property rights. She is also an active engineer and researcher. Her current research area is radio communications. She has also done research work in the areas of electromagnetic compatibility (EMC) and signal integrity. She has taken part in many electronic design and software design projects of Excem.

Prior to starting Excem in 1988, she worked for Schneider Electric (in Grenoble, France), STMicroelectronics (in Grenoble, France), and Signetics (in Mountain View, USA).

Ms. Clavelier is the author or a co-author of about 80 technical papers. She is co-inventor of about 80 patent families. She is a licensed radio amateur (F1PHQ).



**Frédéric Broydé** was born in France in 1960. He received the M.S. degree in physics engineering from the Ecole Nationale Supérieure d'Ingénieurs Electriciens de Grenoble (ENSIEG) and the Ph.D. in microwaves and microtechnologies from the Université des Sciences et Technologies de Lille (USTL). He is a senior member of the IEEE.

He co-founded the Excem corporation in May 1988, a company providing engineering and research and development services. He is president and CTO of Excem. Most of his activity is allocated to engineering and research in electronics. Currently, his most active research areas is wireless transmission systems, with an emphasis on antenna tuning.

Dr. Broydé is author or co-author of about 100 technical papers, and inventor or co-inventor of about 80 patent families, for which 48 US patents have been granted. He is a licensed radio amateur (F5OYE).



## Annexes

Annex A: Patent citations listed in P64-C, P71-C and P72-C

pages A-1 to A-3

Annex B: Technical article submitted to the IEEE

pages B-1 to B-10



## ANNEX A

### Patent citations listed in P64-C, P71-C and P72-C

**Table 1: cited U.S. applications**

	cited in:				
Pub. No.	P64	P71	P72	Status	Applicant
2004/0263411	yes			granted as 7,180,467	
2005/0007291	yes			granted as 7,176,845	
2007/0197180	yes			granted as 7,711,337	
2008/0106349	yes			granted as 7,714,676	
2008/0186105		yes	yes	granted as 7,795,989	
2011/0116423	yes			granted as 8,774,067	
2012/0075016	yes			granted as 8,294,514	
2013/0069737	yes			granted as 9,054,756	
2014/0227981		yes	yes	granted as 9,325,355	Research In Motion
2014/0273887	yes			abandoned	Motorola Mobility
2015/0078485	yes	yes	yes	granted as 9,077,317	Tekcem [P57]
2016/0043751		yes	yes	granted as 9,680,510	Tekcem [P59]
2016/0105210	yes			granted as 9,847,807	Blackberry Limited
2017/0063344		yes	yes	granted as 9,966,930	Tekcem [P62]
2017/0294891		yes	yes	granted as 10,050,598	Blackberry Limited

**Table 2: cited U.S. patents**

	cited in:				
Pat. No.	P64	P71	P72	Inventor	Assigned to
2,523,791	yes			Vahle et al.	General Electric Company (US)
2,745,067	yes			True et al.	
3,443,231	yes			Roza	Gulf General Atomic Inc. (US)
4,356,458	yes			Armitage	Harry H. LeVeen (US)

4,493,112	yes			Bruene	Rockwell International Corp. (US)
4,973,940	yes			Sakai	Colin Electronics Co., Ltd. (JP)
5,525,847	yes	yes	yes	Roberts et al.	Antenna Research Associates (US)
5,564,086	yes	yes	yes	Cygan et al.	Motorola (US)
6,414,562	yes	yes	yes	Bouisse et al.	Motorola (US)
6,590,468	yes			du Toit	Paratek Microwave (US)
7,176,845	appl*			Fabrega-Sanchez et al.	Kyocera Wireless Corp. (US)
7,180,467	appl*			Fabrega-Sanchez et al.	Kyocera Wireless Corp. (US)
7,463,870		yes	yes	Peussens et al.	Thomson Licensing (FR)
7,711,337	appl*			McKinzie, III et al.	Paratek Microwave (US)
7,714,676	appl*			McKinzie, III	Paratek Microwave (US)
7,795,989		appl*	appl*	Scuderi et al.	STMicroelectronics (IT)
7,865,154	yes			Mendolia	Paratek Microwave (US)
8,072,285	yes			Spears	Paratek Microwave (US)
8,294,514	appl*			Visser et al.	ST-Ericsson SA (CH)
8,294,632	yes			Skarp	Sony Ericsson Mobile Comm. (SE)
8,299,867	yes			McKinzie, III	Research In Motion RF (US)
8,325,097		yes	yes	McKinzie, III et al.	Research In Motion RF (US)
8,693,963	yes			du Toit	Research In Motion RF (US)
8,774,067	appl*			Rousu et al.	Nokia Corporation (FI)
9,054,756	appl*			See et al.	Qualcomm (US)
9,077,317	yes			Broyde et al. [P57]	Samsung (KR)
9,325,355		appl*	appl*	Pecen et al.	Blackberry Limited (CA)
9,628,135		yes	yes	Broyde et al. [P64]	Tekcem (FR)
9,680,510		yes	yes	Broyde et al. [P59]	Samsung (KR)
9,825,364		yes	yes	O'Driscoll	Verily Life Sciences LLC (US)
9,847,807	appl*			Zhu et al.	Blackberry Limited (CA)
9,966,930		appl*	appl*	Broyde et al. [P62]	Samsung (KR)
10,050,598		appl*	appl*	McKinzie, III	Blackberry Limited (CA)

\* “appl” means that only the US application is cited (refer to Table 1 for the corresponding US application)

**Table 3: cited FR patent publications**

		cited in:			
Pub. No.	Appl. No.	P64	P71	P72	Applicant
3018973	FR14/00666		yes	yes	Tekcem (FR) [P59]

**Table 4: cited PCT publications**

		cited in:			
PCT Publication No.		P64	P71	P72	Applicant
WO 2010/141774		yes			Qualcomm (US)
WO 2015/140660		yes	yes	yes	Tekcem (FR) [P59]

# A Typology of Antenna Tuner Control Schemes

Frédéric Broydé, *Senior Member, IEEE*, and Evelyne Clavelier, *Senior Member, IEEE*,

Excem

Maule, France

emails: fredbroyde@eurexcem.com, eclavelier@eurexcem.com

**Abstract** — We identify five types of antenna tuner control scheme, which are suitable for a wireless transmitter. One of them is new. Four of the five types use a single sensing unit measuring electrical variables either at the radio port or at the antenna port of the antenna tuner. Among these four types, one uses only open-loop control, whereas the others use closed-loop control, often after a preliminary open-loop step. We investigate the accuracy of the different schemes. The accuracy and other characteristics of the different schemes are discussed and compared, to help system designers to select the best control schemes for their applications.

**Keywords** — Control system, impedance matching, antenna tuner, radio transmitter, extremum seeking.

## I. INTRODUCTION

The characteristics of an antenna may be modified by the effects of the electromagnetic characteristics of the surroundings (EECS). For a portable wireless device, a cause of EECS is the electromagnetic interaction between the antenna and a person holding the portable wireless device, often referred to as “user interaction”. In current flagship mobile phone designs, automatic antenna tuning, which automatically adjusts a tunable passive antenna (TPA) and/or an antenna tuner (AT), has become increasingly prominent as a method to support the growing range of LTE or 5G frequencies, to mitigate the EECS, to reduce the size of the antennas, increase overall power efficiency and signal consistency, and obtain the highest possible data transmission rates [1] [2]. Automatic ATs are also common in land mobile, marine and tactical HF radio transceivers, as well as in radio transceivers for the amateur service [3].

This paper is about control schemes which can be used, in a radio transceiver or radio transmitter, to automatically adjust an antenna tuner. As shown in Fig. 1, the AT has a port, referred to as “antenna port”, which is directly or indirectly coupled to an antenna, and another port, referred to as “radio port”, for transmitting and/or receiving radio signals through the AT and the antenna. In the case of a transceiver using time-domain duplex (TDD), each port may be an input port or an output port, depending on whether emission or reception is taking place. In the case of a transceiver using frequency-domain duplex (FDD), both ports are input ports and output ports, simultaneously.

Some authors have proposed descriptions of AT control schemes which are applicable to a transmitter, and defined categories [4]-[6]. Sections II to VIII and the Appendix provide a review of existing AT control schemes, a new classification into 5 types, and a new analysis of their accuracy. Type 4 is new, and is therefore explained in detail. In Section IX, we qualitatively compare the different types. Section X provides simulations of some properties of the different schemes, for a




Fig. 1. Two possible configurations of a transmitter comprising an antenna, an antenna tuner (AT), a sensing unit (SU), a control unit (CU) and a transmission and signal processing unit (TSPU).

particular antenna and a particular AT. This material should help system designers to select the most appropriate control schemes for their applications.

## II. DEFINITIONS AND ASSUMPTIONS

Several control schemes, which can be used to automatically adjust an AT of a wireless transmitter, are based on one of the two configurations shown in Fig. 1. In both configurations, the transmitter comprises: an antenna; an AT; a sensing unit (SU) which senses electrical variables; a control unit (CU); and a transmission and signal processing unit (TSPU) which consists of all parts of the transmitter not shown elsewhere in Fig. 1.

The TX port of the TSPU delivers an excitation which is a bandpass signal having a carrier frequency denoted by  $f_c$ . The SU delivers, to the TSPU, one or more sensing unit output signals determined by one or more electrical variables (such as voltage, current, incident or forward voltage, etc) caused by the excitation, sensed at the radio port in the case of Fig. 1(a) or at the antenna port in the case of Fig. 1(b). The CU is an interface that delivers at least one tuning control signal (TCS) to the AT.

The AT comprises one or more adjustable impedance devices (AIDs) each having a reactance which is adjustable by electrical

means. Adjusting an AT means adjusting the reactance of one or more of its AIDs. At a given time  $\tau$ , a nominal reactance of an AID at  $f_c$  is determined by initial conditions of the AID at an earlier time  $\tau_0$ , and by the history of at least one TCS in the time interval  $[\tau_0, \tau]$ . The reactance and the resistance of the AID are functions of the nominal reactance of the AID and of other variables such as temperature, humidity, aging, uncertainties, etc. The resistance of the AID is unwanted because it entails an unwanted loss.

We identify 3 AID categories, each requiring particular TCSs. They may be defined as follows:

- category 1 refers to an AID which can only provide a finite set of nominal reactance values at  $f_c$  (e.g., an AID which is a network comprising capacitors or coils or stubs, and one or more electrically controlled switches or change-over switches, such as electro-mechanical relays, or MEMS switches, or PIN diodes, or insulated-gate FETs, used to cause different capacitors or coils or stubs of the network to contribute to the reactance [1], [7]);
- category 2 refers to an AID which can provide a real interval of nominal reactance values at  $f_c$ , and such that, after a delay larger than the response time of the AID, its nominal reactance at  $f_c$  is mainly determined by the present value of at least one TCS (e.g., an AID whose reactance is determined by one or more variable capacitance diodes, or barium strontium titanate varactors [1]);
- category 3 refers to an AID which can provide a real interval of nominal reactance values at  $f_c$ , and which does not belong to category 2 (e.g., an AID such as a motorized variable capacitor, or a motorized roller inductor, in which the one or more TCSs applied to the motor cause a variation of the nominal reactance value at  $f_c$  [3]).

AIDs of categories 1 and 2 are commonly used in low-power applications (e.g., mobile phones). AIDs of categories 1 and 3 are commonly used in medium and high-power applications. Though AIDs of categories 1 and 2 often include non-linear components that may cause non-linear effects during emission, we assume that the AT behaves, with respect to its radio port and antenna port, substantially as a passive linear 2-port device.

We use  $Z_{Sant}$  to denote the impedance seen by the antenna port, and  $Z_U$  to denote the impedance presented by the radio port, which depends on  $Z_{Sant}$  and on the impedances of the AIDs. A wanted value of  $Z_U$  being denoted by  $Z_W$ , the user port tuning range, denoted by  $D_{UTR}(Z_W)$ , is the set of all  $Z_{Sant}$  for which there exist achievable values of the nominal reactances of the AIDs, such that  $Z_U = Z_W$ , at  $f_c$  [8].

In the literature on ATs, “open-loop” often erroneously refers only to a control scheme without SU, so that the AT is typically adjusted only as a function of the operating frequency, which is known to the TSPU [1, § 4.5.1], [9]. In this paper, following normal terminology, “open-loop control” means: control which does not utilize a measurement of the controlled variable [10]. In contrast, “closed-loop control” (which is also referred to as “feedback control”) means control in which the control action is made to depend on a measurement of the controlled variable, a definition which does not imply that the control action repetitively or continuously depends on a repetitive or continuous measurement of the controlled variable.

In what follows, “model-based” refers to a control scheme which uses a model that describes relevant properties of the AT and the CU, and a single sample of each of the one or more sensing unit output signals, to obtain nominal AID reactance values intended to provide the wanted adjustment of the AT.

### III. TYPE 0 CONTROL SCHEMES

Type 0 designates the open-loop AT control schemes which do not use any SU. In subtype *a* of type 0, the nominal reactance (or an equivalent variable) of each AID is determined only as a function of an operating frequency, typically by utilizing a lookup table, the entries of which have for instance been determined based on experiments. In subtype *b*, the nominal reactance of at least one AID (or an equivalent variable) is determined as a function of an operating frequency and of at least one auxiliary variable which is assumed to be correlated with some electromagnetic characteristics of the surroundings of the transmitter. In a mobile phone, such an auxiliary variable may for instance be [11]:

- a localization variable determined by a localization sensor, which is assumed to depend on a distance between a part of a human body and a zone of the transmitter;
- a communication type variable that indicates whether a radio communication session is a voice session or a data session; or
- a speakerphone mode activation indicator or a speaker activation indicator; etc.

The idea of subtype *b* is that such auxiliary variables can be used to mitigate the EECS, statistically, if a correlation exists between the operating frequency and the one or more auxiliary variables on the one part, and optimal nominal reactance values on the other part. In practice, the nominal reactance values (or equivalent variable values) may be obtained from a lookup table, as a function of the operating frequency and of a typical use configuration determined based on the one or more auxiliary variables.

### IV. TYPE 1 CONTROL SCHEMES

Type 1 designates the control schemes which use the configuration of Fig. 1(a) and are such that the TCSs are determined by a feedback control system which seeks to obtain a wanted value of  $Z_U$ , denoted by  $Z_W$ , without being a Type 2 control scheme presented in Section V. Typically, the TSPU estimates  $q$  real quantities depending on  $Z_U$ , and  $q$  is often equal to two. We can identify 3 subtypes. Subtype *a* designates the schemes using continuous-time control, such as the ones described in [3], [5, § IV-A] and [12]-[14]. Subtype *b* designates the non-model-based schemes which utilize discrete-time control, such as the schemes described in [5, § IV-B] and [15]-[17]. Subtype *c* designates the model-based discrete-time control schemes, such as the ones described in [18]-[22].

In practice, a type 1 control scheme is designed for a particular AT structure. For subtypes *a* and *b*, the reactance of each AID is typically determined by a separate feedback control loop which uses one of the  $q$  real quantities depending on  $Z_U$  as feedback signal. For instance, let us assume that the AT has the L-network structure shown in Fig. 2, in which the variable parallel




Fig. 2. An AT having a L-network structure.

admittance  $Y_A$  and the variable series impedance  $Z_{AU}$  each correspond to an AID [23]. If we ignore losses in the AT, we have, at the frequency  $f_C$ ,

$$Z_U = \frac{1}{\frac{1}{Z_{Sant}} + jB_A} + jX_{AU} \quad (1)$$

where the real susceptance  $B_A$  and the real reactance  $X_{AU}$  are such that  $Y_A = jB_A$  and  $Z_{AU} = jX_{AU}$ . Let us assume that  $Z_W$  is real. Since  $\partial Z_U / \partial X_{AU} = j$ , an inner feedback loop using  $\text{Im}(Z_U)$  or  $\arg(Z_U)$  as feedback signal may easily be designed to provide a zero  $\text{Im}(Z_U)$ . At the frequency  $f_C$  and ignoring losses, we have

$$\text{Re}(Z_U) = \frac{G_{Sant}}{G_{Sant}^2 + (B_{Sant} + B_A)^2} \quad (2)$$

where the real conductance  $G_{Sant}$  and the real susceptance  $B_{Sant}$  are such that  $G_{Sant} + jB_{Sant} = 1/Z_{Sant}$ . It follows that  $Z_U = Z_W$  is possible only if  $\text{Re}(Z_W) \leq 1/G_{Sant}$ , and that

$$\frac{\partial \text{Re}(Z_U)}{\partial B_A} = \frac{-2G_{Sant}(B_{Sant} + B_A)}{[G_{Sant}^2 + (B_{Sant} + B_A)^2]^2} \quad (3)$$

Thus, if the antenna and the AIDs are such that the sign of  $B_{Sant} + B_A$  is known by design, an outer feedback loop using  $k \text{Re}(Z_U)$ , where  $k$  is real, as feedback signal may be designed to provide  $\text{Re}(Z_U) = \text{Re}(Z_W) = Z_W$ . Also, if the outer feedback loop is made much slower than the inner feedback loop,  $k|Z_U|$  may be used as a feedback signal of the outer feedback loop.

If the sign of  $B_{Sant} + B_A$  is not known, a stable subtype *a* or *b* control scheme is more difficult to design for the AT shown in Fig. 2. For instance, a possible route would be to ensure that, when the control system is switched on,  $B_{Sant} + B_A$  has always the wanted sign, so that this sign would be maintained thereafter by the feedback control system, provided  $B_{Sant}$  and  $f_C$  never vary too rapidly, and provided  $Z_{Sant}$  remains in or close to the user port tuning range  $D_{UTR}(Z_W)$  of the AT at  $f_C$ .

Let us now consider a subtype *a* or *b* control scheme using the AT shown in Fig. 3, which has a  $\pi$ -network structure [23]-[24]. Here, the series impedance  $Z_{AU}$  is fixed, and the variable parallel admittances  $Y_A$  and  $Y_U$  each correspond to an AID. If we ignore losses in the AT, we have, at the frequency  $f_C$ ,

$$\frac{1}{Z_U} = \frac{1}{\frac{1}{\frac{1}{Z_{Sant}} + jB_A} + jX_{AU}} + jB_U \quad (4)$$

where the real susceptance  $B_U$  is such that  $Y_U = jB_U$ . Since  $\partial(1/Z_U)/\partial B_{AU} = j$ , an inner feedback loop using  $\text{Im}(1/Z_U)$  or  $\text{Im}(Z_U)$  or  $\arg(Z_U)$  as feedback signal may be designed to




Fig. 3. An AT having a  $\pi$ -network structure.

provide a zero  $\text{Im}(1/Z_U)$ . However, the reader can easily check that  $\partial \text{Re}(1/Z_U)/\partial B_{AU}$  and  $\partial \text{Re}(Z_U)/\partial B_{AU}$  are involved, so that a stable subtype *a* or *b* control scheme is difficult to design for the AT shown in Fig. 3.

The error of a subtype *b* control scheme is determined in subsection *B* of the Appendix.

For subtype *c*, the control scheme is based on a model of the AT and CU. For instance, let us assume that the AT is the one shown in Fig. 3, that the nominal reactance of any one of the AIDs is determined by an adjustment instruction received by the CU from the TSPU, and that the absolute value and the phase of  $Z_U$  have been estimated, at  $f_C$ , for nominal AID reactances determined by an initial adjustment instruction [21]-[22]. In a first step, using the model and the initial adjustment instruction, the TSPU can estimate  $Y_A$  and  $Y_U$ , and then estimate  $Z_{Sant}$  using

$$\frac{1}{Z_{Sant}} = \frac{1}{\frac{1}{\frac{1}{Z_U} - Y_U} - Z_{AU}} - Y_A \quad (5)$$

If the estimated  $Z_{Sant}$  lies in or close to the user port tuning range  $D_{UTR}(Z_W)$  of the AT at  $f_C$ , the TSPU can, in a second step, compute a subsequent adjustment instruction such that, according to the model,  $Z_U$  is close to  $Z_W$ . This computation may for instance use the fast algorithm proposed in [25, Appendix C], which takes losses in the AID into account. The operation of the control system may stop at this point, so that the nominal AID reactances directly jump from the ones determined by the initial adjustment instruction, to the ones determined by the subsequent adjustment instruction, by utilizing the model twice.

If the model of the AT is not accurate, the subsequent adjustment instruction may produce a  $Z_U$  which is not close to  $Z_W$ . The error of a subtype *c* control scheme is determined in subsection *E* of the Appendix. In practice, one or more lookup tables are needed to obtain an accurate model. Additionally, some of the computations can be replaced with interpolations, if a suitable lookup table, or a suitable set of lookup tables, is provided.

For AIDs having a finite set of nominal reactance values (AIDs of category 1), subtype *b* control schemes using digital processing, or subtype *c* control schemes are preferred.

## V. TYPE 2 CONTROL SCHEMES

Type 2 designates the control schemes which use the configuration of Fig. 1(a) and in which the TSPU uses extremum-seeking control to obtain that  $Z_U$  approximates a wanted value  $Z_W$ . Extremum-seeking control is a family of nonlinear control methods whose purpose is to autonomously find either a maximum or a minimum of a performance variable, the



performance variable being a real function of one or more outputs of a controlled system, by controlling one or more inputs of the controlled system. In an extremum-seeking control algorithm, one or more signals varying over time are caused to appear at these one or more inputs of the controlled system, in a way that allows the algorithm to probe the nonlinearity of the performance variable with respect to the one or more inputs of the controlled system, and to get closer to an extremum. Thus, extremum-seeking control algorithms are based on the information that the extremum exists, but they do not need an exact knowledge of the controlled system to find the extremum. For this reason, extremum seeking control is said to be a non-model-based real-time optimization approach. A type of extremum-seeking control which uses one or more periodical perturbations is usually referred to as perturbation based extremum-seeking control [26]. There are many other types of extremum-seeking control, such as sliding mode extremum-seeking control, neural network extremum-seeking control, relay extremum seeking control, perturb and observe, numerical optimization based extremum-seeking control, stochastic extremum-seeking control, etc [27]-[29].

In an automatic AT control scheme, the nominal reactances of the one or more AIDs may be regarded as the “one or more inputs of the controlled system”. Thus, the extremum-seeking control algorithm controls and varies the AID reactances over time, to get closer to an extremum of the performance variable.

The performance variable may be substantially the absolute value of the reflection coefficient at the radio port, or any monotone function of this quantity [29, ch. 7], [30]-[33]. The absolute value of the reflection coefficient is a performance variable which typically varies very little far from the sought global minimum, and which may present several local minima at a given frequency. Thus, a type 2 control scheme must be designed to avoid that the extremum-seeking control algorithm fails to converge, or converges to a local extremum which is not the wanted global extremum. For this reason, in a typical type 2 control scheme, suitable initial values of the nominal AID reactances are generated before extremum seeking starts, as a function of  $f_C$ , using one of the type 0 control schemes.

It is useful to identify 2 subtypes. Subtype *a* designates the schemes using continuous-time extremum-seeking. Subtype *b* designates the schemes using discrete-time extremum-seeking, such as the schemes described in [30]-[33]. For subtype *b*, the error is computed in subsection *B* of the Appendix. It is worth mentioning that subtype *b* includes a brute force extremum seeking technique applicable to the case where each AID can provide a finite (and small) number of nominal reactance values: all combinations of AID reactance values are tested, and a combination providing either the larger or the smaller value of the performance variable is selected [34]-[36]. This approach does not use initial values of the nominal AID reactances, determined as a function of  $f_C$ .

## VI. TYPE 3 CONTROL SCHEMES

Type 3 designates the model-based control schemes which use the configuration of Fig. 1(b) and are such that: the TSPU estimates  $q$  real quantities depending on  $Z_{Sant}$ ; and the nominal

reactance (or an equivalent variable) of at least one AID is determined as a function of  $f_C$  and of these real quantities, using a model of the AT. Typically,  $q = 2$  [37] [38]. Since type 3 is an open-loop control scheme, an accurate knowledge of the characteristics of the AT is essential for good results. If these characteristics depend on temperature, it is advantageous to take into account one or more temperatures in the AT to determine the TCSs [39]. The aim of a type 3 control scheme is unconstrained.

If the aim of the control scheme is to obtain a wanted value  $Z_W$  of  $Z_U$ , we observe that the type 3 control scheme has much in common with the second step of the operation of a type 1 subtype *c* control scheme, presented above in Section IV. For instance, in the case of an AT having the structure of a  $\pi$ -network, suitable TCSs may be determined using the iterative computation technique of [25, Appendix C] or a numerical algorithm that minimizes a suitable performance variable, for instance  $|Z_U - Z_W|^2$  computed using the model of the AT. A detailed algorithm which directly takes into account the set of the nominal reactance values of the AIDs has been disclosed [40].

The error of a type 3 control scheme is determined in subsection *D* of the Appendix. This errors depends on the accuracy of the model.

If the aim of the control scheme is to maximize the average power delivered by the antenna port, denoted by  $P_{Sant}$ , suitable TCSs may be determined using a numerical algorithm that maximizes this output power, computed using the model.

For any aim of the control scheme, some or all of the computations can be replaced with interpolations, if a suitable lookup table is provided.

## VII. TYPE 4 CONTROL SCHEMES

Type 4 designates new control schemes which use the configuration of Fig. 1(b) and are such that [41] [42]:

- an initial value of each nominal AID reactance is generated, using open-loop control; and
- to increase as much as possible the average power delivered by the antenna port, denoted by  $P_{Sant}$ , one or more subsequent values of one or more of the nominal AID reactances are generated, using an extremum-seeking control algorithm.

Generating initial nominal AID reactance values which are not too far from the one that would maximize  $P_{Sant}$  has two advantages: it avoids that the extremum-seeking control algorithm converges to a local extremum which is not the wanted global extremum, and it speeds up this convergence, for a given accuracy. For subtype *a*, the initial nominal AID reactance values are obtained as a function of  $f_C$ , using one of the type 0 control schemes. For subtype *b*, the initial nominal AID reactance values are obtained as a function of  $f_C$  and of real quantities depending on  $Z_{Sant}$ , using a type 3 control scheme.

The extremum-seeking control algorithm seeks to maximize or to minimize a performance variable estimated as a function of one or more sensing unit output signals. To discuss possible performance variables, let  $s_E(t)$  be the complex envelope of the excitation,  $s_O(t)$  be the complex envelope of an electrical variable (voltage, current, incident voltage, etc) sensed at the output port, and  $f$  be a function which is differentiable and strictly monotone over the set of positive real numbers.

If the excitation is not amplitude modulated, that is to say if  $|s_E(t)|$  is constant, it is easily seen that a possible performance variable is  $f(|s_O(t)|)$ . For instance, if  $f$  is an increasing function, maximizing  $f(|s_O(t)|)$  clearly maximizes  $P_{Sant}$ .

If the excitation is amplitude modulated, this approach does not work, because a variation in  $|s_E(t)|$  creates a variation in  $f(|s_O(t)|)$ . In this case, we may consider that, for given values of  $Z_{Sant}$  and of the AID reactances,  $s_E(t)$  is substantially proportional to a modulating signal  $s_M(t)$  so that  $|s_O(t)|$  is substantially equal to  $\lambda |s_M(t)|$ , where  $\lambda$  is a real gain. Here, a possible performance variable is  $f(|s_O(t)|)/f(|s_M(t)|)$ , provided  $f$  is such that, for any positive  $\lambda$ , the ratio  $f(\lambda |s_M(t)|)/f(|s_M(t)|)$  is independent of  $|s_M(t)|$ . The function  $f$  must therefore be such that, for any positive  $\lambda$  and for any positive  $x$ , we have

$$\frac{f(\lambda x)}{f(x)} = \frac{f(\lambda)}{f(1)} \quad (6)$$

so that

$$f(\lambda x) = \frac{f(x)f(\lambda)}{f(1)} \quad (7)$$

Taking a partial derivative of (7) with respect to  $x$ , and a partial derivative of (7) with respect to  $\lambda$ , we obtain

$$\frac{f'(x)f(\lambda)}{\lambda f(1)} = \frac{f(x)f'(\lambda)}{x f(1)} \quad (8)$$

in which  $f'$  is the derivative of  $f$ . For  $\lambda = 1$ , we obtain the differential equation

$$\frac{f'(x)}{f(x)} = \frac{1}{x} \frac{f'(1)}{f(1)} \quad (9)$$

This is not a linear differential equation. However, if we first consider that  $k = f'(1)/f(1)$  is an arbitrary variable, we can integrate the resulting first-order linear differential equation of parameter  $k$ . This allows us to find that the solutions of (9) are the functions which satisfy

$$f(x) = K x^k \quad (10)$$

where  $k$  and  $K$  are real constants,  $K$  being nonzero. Conversely, all functions given by (10) satisfy (6), and are strictly monotone for  $k$  nonzero. Thus, for an amplitude modulated excitation, the suitable functions  $f$  are given by (10) where  $k$  and  $K$  are nonzero real constants.

Ideally, a type 4 control scheme maximizes  $P_{Sant}$  with respect to the reactances of the AIDs. This maximization does not entail conjugate matching at the antenna port of the antenna tuner (as opposed to a maximization of  $P_{Sant}$  with respect to the resistance and the reactance seen by the antenna port).

If the radio port sees a linear source of impedance  $Z_S$ , an ideal type 4 control scheme maximizes the transducer power gain of the AT at  $f_c$ . If the AT is a part of a transceiver using TDD, what was said above applies to emission. In this case, if we further assume that the AT is reciprocal with respect to its radio port and antenna port, and that the radio port sees a linear load of impedance  $Z_S$  during reception, it follows from a well-known reciprocal power theorem proven by Kurokawa [43, § IV] that the AT adjustment obtained for emission maximizes the transducer power gain of the AT during reception.




Fig. 4. Two possible configurations of a transmitter comprising a tunable passive antenna, an antenna tuner (AT), a sensing unit (SU), a control unit (CU) and a transmission and signal processing unit (TSPU).

## VIII. OTHER CONTROL SCHEMES

We have defined five types of control schemes which can be used to automatically adjust an AT of a wireless transmitter. They cover most schemes described in the literature, but not all of them.

First, some AT control schemes use more than one SU, for instance: one SU at the radio port and one SU inside the AT [6], [44]; or one SU at the radio port and another at the antenna port [45]-[46]. Many variations are possible.

Second, an AT may be used in conjunction with a tunable passive antenna (TPA), as shown in Fig. 4, to obtain a broader tuning range than the one provided by the AT alone, and to reduce feeder losses [47]-[50]. An adjustment of a TPA may provide a change in its directivity pattern, and/or a change in its impedance. If the TPA is such that adjusting it produces a change in its impedance, an automatic control system may use the adjustment of the TPA to obtain a coarse adjustment of  $Z_{Sant}$ , and then use the AT to obtain a fine adjustment, using any one of the five types of control schemes.

Here, it is worth noting that some authors strangely refer to the adjustment of a TPA as “aperture tuning”, and to the adjustment of an AT as “impedance tuning”.

## IX. QUALITATIVE COMPARISON OF THE CONTROL SCHEMES

### A. Closed-loop versus open-loop

Since an extremum-seeking control algorithm is based on closed-loop control, we can say that types 1, 2 and 4 utilize closed-loop control, whereas type 0 and type 3 only utilize open-loop control. A remarkable characteristic of a typical AT control system is the severe non-linearity of the equations that govern



the AT, for instance visible in (1)–(4). The relation between the reactance of an AID and the TCS(s) it receives is typically also involved. For these reasons, a continuous-time (analog) closed-loop control system, if started far from its goal, is typically unable to reach it, or to reach it in a reasonable time. Consequently, we may assume that practical type 1 and type 2 control schemes include a preliminary open-loop step, of type 0. Type 4 always includes a preliminary open-loop step, of type 0 or type 3. Thus, most current closed-loop control designs use digital circuits and lookup tables, because they are unavoidable for an open-loop control step; and closed-loop control systems without digital circuits (which can only be of type 1 subtype *a* or type 2 subtype *a*) are outdated for most applications.

### B. Measurements and mitigation of EECS

The requirements on the SU and the processing of sensing unit output signals are different for each control scheme, as shown in Table I. The easiest measurements are: the scalar reflection coefficient measurements at the radio port, used in type 2, which need only be accurate in the vicinity of  $Z_U = Z_W$  if an effective preliminary open-loop step has been used; and the scalar measurements at the antenna port, used in type 4 subtype *a*, which can be relative voltage or current measurements, since they are only used to find a maximum power. Vector impedance measurements at the radio port, used in type 1, are more involved, but they need only be accurate in the vicinity of  $Z_U = Z_W$  if an effective preliminary open-loop step has been used. Vector impedance measurements at the antenna port, used in type 3 and type 4 subtype *b*, are the most challenging, because accuracy is needed in the entire set of possible values of  $Z_{Sant}$ .

As shown in Table I, a mitigation of the EECS is obtained with all schemes, except type 0.

### C. Aim of the control scheme and design goal

The aims of the different control schemes are shown in Table I. I. How do these aims correspond to possible design goals?

Let us for a while assume that the design goal is a maximization of  $P_{Sant}$ , in a context where the TX port of the TSPU need not be linear, and where the SU is transparent to the signals intended for the antenna. In the case of a lossless AT, the average power delivered by the TX port is equal to  $P_{Sant}$ , so that a maximum power delivered by the TX port (if the TX port was linear, this would imply a conjugate matching at the TX port) corresponds to a maximum  $P_{Sant}$ . In this case, a type 1, 2 or 3 control scheme, configured to provide a value of  $Z_U$  which maximizes the power delivered by the TX port at  $f_c$  (we assume that this value is known), maximizes  $P_{Sant}$ , like a type 4 control scheme. If losses in the AT are not very small, a maximum power delivered by the TX port need not correspond to a maximum  $P_{Sant}$ , so that the types 1, 2 and 3 control schemes considered above are not optimal for the design goal, while type 4 is optimal.

The possible optimization of TDD reception, explained in Section VII, is another advantage of the type 4 control scheme.

Let us now assume that the design goal is  $Z_U = Z_W$ , for instance because it provides a wanted linearity or spectral purity, or a wanted efficiency of a power amplifier, or simply because  $Z_W$  is the nominal load of the TX port. Here, a type 1, 2 or 3 control scheme can be optimal, if it is configured to provide  $Z_U = Z_W$ , while a type 4 control scheme is not optimal for the design goal (except in the case of a lossless AT).

### D. Accuracy, speed and dependence on a model of the AT

The performance of a control system depends on many implementation details. However, as a guideline, Table I indicates the relative accuracy and speed of the different control systems, based on the following considerations:

- all schemes using only open-loop control are very fast, but cannot be very accurate, because their accuracy depends on a model of the AT, and models are imperfect;
- all schemes using closed-loop control are very accurate, but type 1 subtype *c* is special;

TABLE I  
SOME POSSIBLE CHARACTERISTICS OF THE AT CONTROL SCHEME TYPES AND SUBTYPES DEFINED IN THE PAPER

Type	Figure	Subtype	Measurement	Mitigation of EECS	Aim of control	Accuracy	Speed
0		<i>a</i>	none	no	any	poor	very fast
		<i>b</i>	auxiliary variable	limited	any	poor	very fast
1	1(a)	<i>a</i>	vector at radio port	yes	$Z_U = Z_W$	very good	slow / fast
		<i>b</i>	vector at radio port	yes	$Z_U = Z_W$	very good	fast
		<i>c</i>	vector at radio port	yes	$Z_U = Z_W$	good	very fast
2	1(a)	<i>a</i>	scalar at radio port	yes	$Z_U = Z_W$	very good	very slow / medium
		<i>b</i>	scalar at radio port	yes	$Z_U = Z_W$	very good	medium
3	1(b)		vector at antenna port	yes	any	good	very fast
4	1(b)	<i>a</i>	scalar at antenna port	yes	maximizing $P_{Sant}$	very good	medium
		<i>b</i>	vector at antenna port	yes	maximizing $P_{Sant}$	very good	very fast




Fig. 5. Real part  $R$  and imaginary part  $X$  of the impedance seen by the antenna port, for  $d = 0.1$  m.




Fig. 6. An AT having a  $\pi$ -network structure.




Fig. 7. Quality factor  $Q_L$  of the coil and quality factor  $Q_C$  of each adjustable impedance device, for the AT of Section V.

- the schemes using closed-loop discrete-time control are supposed to include a preliminary open-loop step, so that the characteristics of the open-loop and closed-loop steps interact to provide the accuracy and the speed of the schemes;
- if they do not include a preliminary open-loop step, the schemes using closed-loop continuous-time control (type 1 subtype  $a$  and type 2 subtype  $a$ ) are slow at best; in the opposite case, their speed is similar to the one of the closed-loop discrete-time control scheme of same type;
- all schemes using closed-loop control are significantly slower than open-loop scheme, but type 4 subtype  $b$  is special, because it includes an accurate and very fast preliminary type 3 step, so that a value of  $P_{Sant}$  which is very close to the aimed maximum value is obtained very quickly;
- type 2 subtype  $a$  is slower than type 1 subtype  $a$ , and type 2 subtype  $b$  is slower than type 1 subtype  $b$ , because in the type 2 schemes, a non-model-based extremum-seeking control algorithm must probe the non-linearity of the performance variable, so that it follows an indirect path toward its aim.

According to the definition of Section II, the model-based control schemes are type 1 subtype  $c$ , type 3 and type 4 subtype  $b$ . The subtypes  $a$  and  $b$  of type 1 are non-model-based, even though they use a model of the AT, to determine in which direction the nominal reactance of each AID must vary, in order to move from the current value of  $Z_U$  toward  $Z_W$ . All model-based control schemes are very fast. They are computationally demanding, in particular type 1 subtype  $c$ , because it uses the model twice.




Fig. 8. Reflection coefficient at the radio port versus frequency, for  $d = 0.1$  m. Curve A: effect of discretization on type 1, 2 or 3. Curve B: worst case of type 3 with 1% uncertainty. Curve C: type 4.




Fig. 9. Insertion gain versus frequency, for  $d = 0.1$  m. Curve A: type 1, type 2 or type 3 using an accurate AT model. Curve B: type 4.

## X. EXAMPLE FOR A QUANTITATIVE COMPARISON

We are going to investigate several antenna tuner control schemes, implemented on a theoretical system comprising a 74.9-mm-long dipole antenna, used in the frequency range 600 MHz to 1 GHz, a lossy feeder, and the AT shown in Fig. 6, which consists of a coil and two AIDs each presenting a negative reactance. The investigated configuration also included a large plate made of a perfect electrical conductor (PEC) lying parallel to the antenna, at a distance  $d$  of the antenna, used to create and vary the EECS. The impedance  $Z_{Sant}$  presented by the antenna and the feeder varies as a function of the frequency and of  $d$ . The computed values of  $Z_{Sant}$  for  $d = 0.1$  m are shown in Fig. 5.

We use the coil model presented in [25, § 5] with  $L_N = 10$  nH,  $R_S \approx 641$  m $\Omega$ ,  $R_P \approx 6.74$  k $\Omega$  and  $C \approx 63.4$  fF. Fig. 7 shows the quality factor  $Q_L$  of the coil. We use the AID model of [25, § 5], with  $\omega_p = 37 \times 10^6$  rd/s and  $\omega_s = 650 \times 10^9$  rd/s. According to this model, the quality factor is independent of the capacitance value. Fig. 7 shows the quality factor  $Q_C$  of the AIDs. We also assume accurate sensing unit output signals, and an accurate analog or digital signal processing.

Let us look at the value of  $Z_U$  provided by the different types of control schemes. Types 1 and 2 can exactly provide  $Z_U = Z_W$ , if each AID is continuous (i.e., if its set of nominal reactance values is an interval). The same applies to a type 3 control scheme aiming  $Z_U = Z_W$ , if, in addition, it uses an exact model of the AT. In Fig. 8, we assume  $Z_W = 50$   $\Omega$ , and we show the reflection coefficient, defined with respect to  $Z_W$ , after automatic adjustment of the AT. For types 1, 2 and 3, Fig. 8(A) shows the effect of a discretization of the capacitance values (64 logarithmically spaced nominal values for  $C_A$  and  $C_U$ ), in the case of category 1 AIDs. For type 3 and continuous AIDs, Fig.




Fig. 10. Insertion gain versus  $d_r$  at 800 MHz. Curve A: type 1, type 2 or type 3 using an accurate AT model. Curve B: type 4.

8(B) shows the effect of an inaccurate AT model (1% uncertainty of the nominal values for  $C_A$  and  $C_U$ ). The result for type 4 and continuous AIDs are shown in Fig. 8(C).

In Fig. 9 and Fig. 10, we assume that the TX port is linear and presents an impedance of  $50 \Omega$ , we assume continuous AIDs, and we show the insertion gain of the AT, i.e., the ratio of the power delivered by the antenna port of the automatically adjusted AT, to the power received by the feeder if it was directly coupled to the TX port. For type 3, we also assume an exact model of the AT. Type 4 maximizing the power delivered by the antenna port, the plots show that type 1, 2 and 3 are not optimal, by an amount ranging from about 0.14 dB to 0.29 dB in this example.

Let us have a closer look at type 4. The maximum reflection coefficient shown in curve C of Fig. 8 is about  $-12.9$  dB, corresponding to a VSWR of about 1.58. The power amplifier of a typical transmitter operates without problem with a VSWR less than 2. Assuming that this is the case for our transmitter, a type 4 control scheme can be used, and provides a more efficient transmitter than the other types, as shown in Fig. 9 and Fig. 10.

## XI. CONCLUSION

Five types of control scheme applicable to a single-antenna-port and single-radio-port antenna tuner have been presented. They have been compared as regards: their use of closed-loop control and/or open-loop control; the measurements used (which impacts the cost); their ability to mitigate the EECS, which include the user interaction; the aim of the control scheme and how it relates to a design goal; their accuracy and speed; and their dependence on a model of the AT and CU.

The new type 4 control scheme provides the best transmitter efficiency, because the aim of this scheme is maximizing  $P_{Sant}$ , and it is accurate. It leaves a residual VSWR, which should be small enough. Type 4 subtype *a* is inexpensive (because it uses scalar measurement), but not fast. Type 4 subtype *b* is more expensive, but very fast. However, the fastest schemes providing a good efficiency are type 1 subtype *c*, and type 3. For these model-based schemes, it is advisable to take into account one or more temperatures in the AT to determine the TCSs.

## APPENDIX

### A. Purpose of this appendix and notations

We consider a control scheme which seeks to obtain that  $Z_U$  at  $f_C$  is very close, or as close as possible, to a wanted impedance  $Z_W$ . We want to further explain, and derive the error of, the different relevant types of control scheme.

We need to clarify the meaning of “very close, or as close as possible, to a wanted impedance  $Z_W$ ”. Let us chose a complex

function of a complex variable, denoted by  $h$ , the function being continuous and smooth where it is defined, and such that  $h(Z_W) = 0$ . For instance, the function may be defined by

$$h(Z) = Z - Z_W \quad (11)$$

or by

$$h(Z) = Z^{-1} - Z_W^{-1} \quad (12)$$

or by

$$h(Z) = (Z - Z_W)(Z + Z_W)^{-1} \quad (13)$$

We say that  $Z$  is (very) close to  $Z_W$  if and only if  $h(Z)$  is (very) close to zero; we say that  $Z$  is as close as possible to  $Z_W$  if and only if  $h(Z)$  is as close as possible to zero; etc.

We assume a digital control system in which the nominal reactances (or equivalent variables) of the AIDs are, at a given point in time, determined by the CU as a function of a tuning unit adjustment instruction delivered by the TSPU. An exact numerical model of the AT and of the CU may be put in the form of a mapping denoted by  $g_{EU}$  and defined by

$$g_{EU}(f, Z_{Sant}, t_C, \mathbf{a}_T) = Z_U \quad (14)$$

where  $f$  is the frequency, where  $t_C$  is the applicable tuning unit adjustment instruction, and where  $\mathbf{a}_T$  is a real vector of temperatures, which is sufficient to characterize the effects of temperature on  $Z_U$ . As an example, if the impedance of each AID depends on its temperature and if the characteristics of the CU do not significantly depend on temperature, the elements of  $\mathbf{a}_T$  could be the temperatures of the AIDs.

At the frequency  $f$  and for the temperatures specified in  $\mathbf{a}_T$ , the user port impedance range of the antenna tuner is given by

$$D_{UR}(Z_{Sant}) = \{g_{EU}(f, Z_{Sant}, t_C, \mathbf{a}_T) \mid t_C \in T_C\} \quad (15)$$

where  $T_C$  is the set of the possible tuning unit adjustment instructions [8].

### B. Non-model-based digital closed-loop control schemes

In a non-model-based digital closed-loop control scheme (that is, a type 1 subtype *b* or type 2 subtype *b* scheme), a full automatic adjustment of the AT requires several iterations, each iteration comprising the following steps: applying an excitation to the radio port; sensing electrical variables; delivering an adjustment instruction; and delivering TCS. After a sufficient number of iterations, a final tuning unit adjustment instruction  $t_{CF}$  is reached. If the control scheme is well-designed, the measured value of  $Z_U$  at  $f_C$  and after  $t_{CF}$ , denoted by  $Z_{UM}$ , satisfies

$$Z_{UM} \approx Z_W - d_{QCL1}(f_C, Z_{UM}, t_{CF}, \mathbf{a}_{TM}) \quad (16)$$

where the mapping  $d_{QCL1}$  represents a quantization error which is known to the control system, but which cannot be avoided because there is no  $t_C$  in  $T_C$  such that  $Z_{UM}$  is closer to  $Z_W$ . Thus, the error of the control system is given by

$$Z_U - Z_W \approx Z_U - Z_{UM} - d_{QCL1}(f_C, Z_{UM}, t_{CF}, \mathbf{a}_{TM}) \quad (17)$$

where  $Z_U - Z_{UM}$  is the measurement error.

### C. Additional assumptions for model-based control schemes

In a model-based digital control scheme (that is, a type 1 subtype *c* or type 3 scheme), we assume that the TSPU, instead

of knowing the exact numerical model of the AT and of the CU, corresponding to  $g_{EU}$ , knows an approximate numerical model which corresponds to a mapping  $g_{AU}$  such that

$$g_{AU}(f_C, Z_{Sant}, t_C, \mathbf{a}_T) + d_{AU}(f_C, Z_{Sant}, t_C, \mathbf{a}_T) = Z_U \quad (18)$$

where the mapping  $d_{AU}$  represents the error of the approximate numerical model, and is not known to the control system.

#### D. Type 3 control scheme

A type 3 control scheme uses a measurement  $Z_{SantM}$  of  $Z_{Sant}$  at  $f_C$ , and possibly a measurement  $\mathbf{a}_{TM}$  of  $\mathbf{a}_T$ . Here, a suitable algorithm is used to find a tuning unit adjustment instruction, denoted by  $t_{CS}$ , such that  $g_{AU}(f_C, Z_{SantM}, t_{CS}, \mathbf{a}_{TM})$  is very close, or as close as possible, to the wanted impedance  $Z_W$ . We write

$$g_{AU}(f_C, Z_{SantM}, t_{CS}, \mathbf{a}_{TM}) + d_{QOL}(f_C, Z_{SantM}, t_{CS}, \mathbf{a}_{TM}) = Z_W \quad (19)$$

where the mapping  $d_{QOL}$  represents a quantization error which is known to the control system, but which cannot be avoided because there is no  $t_C$  in  $T_C$  such that  $g_{AU}(f_C, Z_{SantM}, t_C, \mathbf{a}_{TM})$  is closer to  $Z_W$ . The resulting  $Z_U$  is given by

$$g_{AU}(f_C, Z_{Sant}, t_{CS}, \mathbf{a}_T) + d_{AU}(f_C, Z_{Sant}, t_{CS}, \mathbf{a}_T) = Z_U \quad (20)$$

Thus, the error of the control system is given by

$$Z_U - Z_W = g_{AU}(f_C, Z_{Sant}, t_{CS}, \mathbf{a}_T) - g_{AU}(f_C, Z_{SantM}, t_{CS}, \mathbf{a}_{TM}) + d_{AU}(f_C, Z_{Sant}, t_{CS}, \mathbf{a}_T) - d_{QOL}(f_C, Z_{SantM}, t_{CS}, \mathbf{a}_{TM}) \quad (21)$$

in which the first 2 terms of the left-hand side vanish for exact measurements.

#### E. Type 1 subtype c control scheme

In a type 1 subtype c control scheme, an adjustment sequence comprises the following steps: an initial tuning unit adjustment instruction  $t_{CI}$  is delivered by the TSPU; a measurement  $Z_{UIM}$  of  $Z_{UI}$  at  $f_C$  is obtained, where  $Z_{UI}$  is the value of  $Z_U$  at  $f_C$  while  $t_{CI}$  is applicable; and a subsequent tuning unit adjustment instruction  $t_{CS}$  is computed as explained below, and delivered by the TSPU [21]-[22]. While  $t_{CI}$  is applicable, we have

$$g_{AU}(f_C, Z_{Sant}, t_{CI}, \mathbf{a}_T) + d_{AU}(f_C, Z_{Sant}, t_{CI}, \mathbf{a}_T) = Z_{UIM} \quad (22)$$

Let  $\mathbf{a}_{TM}$  be an estimate of  $\mathbf{a}_T$ , possibly based on a measurement. The TSPU solves the equation

$$g_{AU}(f_C, Z_{SantE}, t_{CI}, \mathbf{a}_{TM}) = Z_{UIM} \quad (23)$$

with respect to the unknown  $Z_{SantE}$ , to obtain an estimated value  $Z_{SantE}$  of  $Z_{Sant}$ . Thus, we have

$$Z_{UI} - Z_{UIM} = g_{AU}(f_C, Z_{Sant}, t_{CI}, \mathbf{a}_T) - g_{AU}(f_C, Z_{SantE}, t_{CI}, \mathbf{a}_{TM}) + d_{AU}(f_C, Z_{Sant}, t_{CI}, \mathbf{a}_T) \quad (24)$$

$Z_{SantE}$  and  $\mathbf{a}_{TM}$  are used by a suitable algorithm to obtain  $t_{CS}$  such that  $g_{AU}(f_C, Z_{SantE}, t_{CS}, \mathbf{a}_{TM})$  is very close, or as close as possible, to the wanted impedance  $Z_W$ . We note that this step is similar to the one leading to (19).

We may write

$$g_{AU}(f_C, Z_{SantE}, t_{CS}, \mathbf{a}_{TM}) + d_{QCL2}(f_C, Z_{SantE}, t_{CS}, \mathbf{a}_{TM}) = Z_W \quad (25)$$

where the mapping  $d_{QCL2}$  represents a quantization error which is known to the control system, but which cannot be avoided because there is no  $t_C$  in  $T_C$  such that  $g_{AU}(f_C, Z_{SantE}, t_C, \mathbf{a}_{TM})$  is closer to  $Z_W$ . The resulting  $Z_U$  at  $f_C$  while  $t_{CS}$  is applicable is given by

$$g_{AU}(f_C, Z_{Sant}, t_{CS}, \mathbf{a}_T) + d_{AU}(f_C, Z_{Sant}, t_{CS}, \mathbf{a}_T) = Z_U \quad (26)$$

Thus, the error of the control system while  $t_{CS}$  is applicable is given by

$$Z_U - Z_W = g_{AU}(f_C, Z_{Sant}, t_{CS}, \mathbf{a}_T) - g_{AU}(f_C, Z_{SantE}, t_{CS}, \mathbf{a}_{TM}) + d_{AU}(f_C, Z_{Sant}, t_{CS}, \mathbf{a}_T) - d_{QCL2}(f_C, Z_{SantE}, t_{CS}, \mathbf{a}_{TM}) \quad (27)$$

in which the first 2 terms of the left-hand side vanish for exact measurements and an exact numerical model.

#### REFERENCES

- [1] J.L. Hilbert, *Tunable RF Components and Circuits — Applications in Mobile Handsets*, CRC Press, 2016.
- [2] W. Lam and B. Shaffer, *The RF front-end: Unsung Hero of the Premium Smartphone*, July 2017 [Online]. Available: <https://technology.ihs.com>.
- [3] *HF transceiver / All-mode multi bander — TS-450S/690S — Service manual*, Kenwood, 1991.
- [4] Y. Sun and J.K. Fidler, "High-Speed Automatic Antenna Tuning Units", *Proc. IEEE Ninth Int. Conf. on Antennas and Propagation*, (IEE Conf. Publ. No. 407), pp. 218-222, April 1995.
- [5] E.L. Firrao, A.-J. Annema, and B. Nauta, "An automatic antenna tuning system using only RF signal amplitudes," *IEEE Trans. Circuits Syst. II, Exp. Briefs*, vol. 55, No. 9, pp. 833-837, Sept. 2008.
- [6] A. van Bezooijen, M.A. de Jongh, F. van Straten, R. Mahmoudi and A.H.M. van Roermund, "Adaptive Impedance-Matching Techniques for Controlling L Networks", *IEEE Trans. on Circuits and Systems — I: Regular Papers*, vol. 57, No. 2, pp. 495-505, Feb. 2010.
- [7] E.L. Firrao, A.-J. Annema, F.E. van Vliet and B. Nauta, "On the Minimum Number of States of Switchable Matching Networks", *IEEE Trans. on Circuits and Systems — I: Regular Papers*, Vol. 62, No. 2, pp. 433-440, Feb. 2015.
- [8] F. Broyd  and E. Clavelier, "Some Properties of Multiple-Antenna-Port and Multiple-User-Port Antenna Tuners", *IEEE Trans. on Circuits and Systems — I: Regular Papers*, Vol. 62, No. 2, pp. 423-432, Feb. 2015.
- [9] G. Weale, P. McIntosh and S. Haddow, "Closed-Loop Antenna Tuning: Why, What, Where", *Proc. 2016 IEEE 5th Asia-Pacific Conference on Antennas and Propagation, APCAP 2016*, pp. 257-258, July 2016.
- [10] *Dictionnaire CEI multilingue de l' lectricit  - IEC multilingual dictionary of electricity*, Bureau Central de la Commission Electrotechnique Internationale, 1983.
- [11] R. Scheer, E. Krenz and I. Szini, "Adaptive Antenna Tuning Systems and Methods", U.S. Patent 8 204 446, filed: Oct. 29, 2009.
- [12] V. True and B. Fisk, "Automatic Impedance Matching Apparatus," U.S. Patent 2 745 067, filed June 28, 1951.
- [13] *The A. R. R. L. Antenna Book*, 8<sup>th</sup> edition, The American Radio Relay League, 1956.
- [14] W. B. Bruene, "Antenna Tuner Discriminator," U.S. Patent 4 493 112, filed November 19, 1981.
- [15] M. Mileusni , P. Petrovi  and J. Todorovi , "Design and Implementation of Fast Antenna Tuners for HF Radio Systems", *Proc. 1997 IEEE Int. Conf. on Information, Communications and Signal Processing (ICICS '97)*, pp. 1722-1726, Sept. 1997.
- [16] A. van Bezooijen, M. de Jongh, C. Chanlo, L. Ruijs, H. J. ten Dolle, P. Lok, F. van Straaten, J. Sneep, R. Mahmoudi and A. H. M. van Roermund, "RF-MEMS based adaptive antenna matching module", *Proc. 2007 IEEE Radio Frequency Integrated Circuits Symp.*, pp. 573-576, June 2007.



- [17] A. van Bezooijen, M. A. de Jongh, C. Chanlo, L. C. H. Ruijs, F. van Straten, R. Mahmoudi and A. H. M. van Roermund, "A GSM/EDGE/WCDMA adaptive series LC matching network using RF-MEMS switches", *IEEE J. Solid-State Circuits*, vol. 43, no. 10, pp. 2259-2268, Oct. 2008.
- [18] F. Chan Wai Po, E. de Foucauld and P. Vincent, "Method for automatic impedance matching for a radiofrequency circuit and transmission or reception system with automatic matching", U.S. patent 8 140 033, filed: Sept. 10, 2008.
- [19] S.M. Ali, M.H. Bakr and J. Warden, "Dynamic real-time calibration for antenna matching in the transmission mode", *Proc. 2010 IEEE Antenna and Propagation Society Int. Symp., APS/URSI 2010*, pp. 1-4, July 2010.
- [20] F. Chan Wai Po, E. de Foucauld, D. Morche, P. Vincent and E. Kerhervé, "A Novel Method for Synthesizing an Automatic Matching Network and Its Control Unit", *IEEE Trans. Circuits Syst. I, Reg. Papers*, vol. 58, No. 9, pp. 2225-2236, Sept. 2011.
- [21] F. Broydé and E. Clavelier, "Procédé pour réglage automatique d'une unité d'accord, et appareil pour communication radio utilisant ce procédé". French patent application FR18/00872 of 16 August 2018.
- [22] F. Broydé and E. Clavelier, "Procédé pour régler automatiquement une unité d'accord, et appareil pour communication radio utilisant ce procédé". French patent application FR18/00881 of 20 August 2018.
- [23] M. Thompson and J.K. Fidler, "Determination of the impedance matching domain of impedance matching networks", *IEEE Trans. Circuits Syst. I: Regular Papers*, Vol. 51, No. 10, pp. 2098-2106, Oct. 2004.
- [24] Y. Sun and J.K. Fidler, "Design of  $\Pi$  impedance matching networks", *Proc. 1994 IEEE Int. Symp. on Circuits and Systems, ISCAS '94*, vol.5, pp. 5-8, June 1994.
- [25] F. Broydé and E. Clavelier, "A Tuning Computation Technique for a Multiple-Antenna-Port and Multiple-User-Port Antenna Tuner", *International Journal of Antennas and Propagation*, vol. 2016, Article ID 4758486, Nov. 2016.
- [26] K.B. Ariyur and M. Krstic, *Real-Time Optimization by Extremum-Seeking Control*, Wiley-Interscience, 2003.
- [27] C. Olalla, M.I. Arteaga, R. Leyva, and A.E. Aroudi, "Analysis and Comparison of Extremum Seeking Control Techniques", *Proc. 2007 IEEE Int. Symp. on Industrial Electronics*, pp. 72-76, 4-7 June 2007.
- [28] B. Calli, W. Caarls, P. Jonker, and M. Wisse, "Comparison of Extremum Seeking Control Algorithms for Robotic Applications", *Proc. 2012 IEEE/RSJ Int. Conf. on Intelligent Robots and Systems*, pp. 3195-3202, Oct. 2012.
- [29] C. Zhang and R. Ordóñez, *Extremum-Seeking Control and Application*, Springer-Verlag, 2012.
- [30] D. Armitage, "Automatic Impedance Matching Apparatus," U.S. Patent 4 356 458, filed August 31, 1981.
- [31] D. A. Roberts and B. T. DeWitt, "Automatic Antenna Tuning System," U.S. Patent 5 225 847, filed February 7, 1991.
- [32] Y. Sun and W.K. Lau, "Evolutionary Tuning Method for Automatic Impedance Matching in Communication Systems", *Proc. 1998 IEEE Int. Conf. on Electronics, Circuits and Systems*, pp. 73-77, Sept. 1998.
- [33] J. de Mingo, A. Valdovinos, A. Crespo, D. Navarro and P. Garcia, "An RF electronically controlled impedance tuning network design and its application to an antenna input impedance matching system", *IEEE Trans. Microw. Theory Tech.*, vol. 52, No. 2, pp. 489-497, Feb. 2004.
- [34] P. Sjöblom and H. Sjöland, "An adaptive impedance tuning CMOS circuit for ISM 2.4 GHz band", *IEEE Trans. on Circuits and Systems — I: Regular Papers*, No. 6, pp. 1115-1124, Jun. 2005.
- [35] H. Song, S.-H. Oh, J. T. Aberle, B. Bakkaloglu and C. Chakrabarti, "Automatic antenna tuning unit for software-defined and cognitive radio", *Proc. 2007 IEEE Antennas and Propagation Society Int. Symp.*, pp. 85-88, June 2007.
- [36] H. Song, B. Bakkaloglu and J. T. Aberle, "A CMOS adaptive antenna-impedance-tuning IC operating in the 850 MHz-to-2 GHz band", *Proc. 2009 IEEE Int. Solid-State Circuits Conf.*, pp. 384-386, Feb. 2009.
- [37] L.F. Cygan, P.H. Gailus, W.J. Turney, and F.R. Yester, Jr., "Method and apparatus for enhancing an operating characteristic of a radio transmitter," U.S. Patent 5 564 086, filed Nov. 29, 1993.
- [38] G.J.L. Bouisse and J.E. Morgan, "Circuit and method for impedance matching," U.S. Patent 6 414 562, filed May 27, 1997.
- [39] F. Broydé and E. Clavelier, "Method for automatically adjusting a tunable matching circuit, and automatic tuning system using this method," U.S. Patent 9 628 135, filed Nov. 23, 2016.
- [40] Q. Gu, J. R. De Luis, A. S. Morris III and J. Hilbert, "An Analytical Algorithm for Pi-Network Impedance Tuners", *IEEE Transactions on Circuits and Systems — I: Regular Papers*, vol. 58, No. 12, pp. 2894-2905, Dec. 2011.
- [41] F. Broydé and E. Clavelier, "Method of automatic adjustment of a tunable matching circuit, and automatic tuning system using this method," U.S. Patent 9 935 607, filed Oct. 20, 2017.
- [42] F. Broydé and E. Clavelier, "Method of automatic adjustment of a tunable impedance matching circuit, and automatic tuning system using this method," U.S. Patent 9 966 924, filed Oct. 27, 2017.
- [43] K. Kurokawa, "Power Waves and the Scattering Matrix", *IEEE Trans. Microwaves Theory and Tech.*, vol. 13, No. 2, pp.194-202, March 1965.
- [44] J. E. Roza, "Impedance Matching System," U.S. Patent 3 443 231, filed April 27, 1966.
- [45] N.J. Smith, C.-C. Chen, and J.L. Volakis, "An improved topology for adaptive agile impedance tuners," *IEEE Antennas and Wireless Propagat. Letters*, vol. 12, pp. 92-95, March 2013.
- [46] Q. Gu and A.S. Morris III, "A New Method for Matching Network Adaptive Control", *IEEE Trans. Microwave Theory Techn.*, vol. 61, No. 1, pp. 587-595, January 2013.
- [47] F. Broydé and E. Clavelier, "Method for automatic adjustment of a tunable passive antenna and a tuning unit, and apparatus for radio communication using this method," U.S. Patent 9 960 491, filed Oct. 4, 2017.
- [48] F. Broydé and E. Clavelier, "Method for automatically adjusting a tunable passive antenna and a tuning unit, and apparatus for radio communication using this method," U.S. Patent 10 008 777, filed Oct. 12, 2017.
- [49] F. Broydé and E. Clavelier, "Method for automatic adjustment of a tunable passive antenna and a tuning unit, and apparatus for radio communication using this method," U.S. Patent 10 044 380, filed Nov. 2, 2017.
- [50] F. Broydé and E. Clavelier, "Method for automatically adjusting a tunable passive antenna and a tuning unit, and apparatus for radio communication using this method," U.S. Patent 9 991 911, filed Nov. 16, 2017.



**Frédéric Broydé** (S'84 - M'86 - SM'01) was born in France in 1960. He received the M.S. degree in physics engineering from the Ecole Nationale Supérieure d'Ingénieurs Electriciens de Grenoble (ENSIEG) and the Ph.D. in microwaves and microtechnologies from the Université des Sciences et Technologies de Lille (USTL).

He co-founded the Excem corporation in May 1988, a company providing engineering and research and development services. He is president and CTO of Excem. Most of his activity is allocated to engineering and research in electronics. Currently, his most active research areas is wireless

transmission systems, with an emphasis on antenna tuning.

Dr. Broydé is author or co-author of about 100 technical papers, and inventor or co-inventor of about 80 patent families, for which 45 US patents have been granted. He is a licensed radio amateur (F5OYE).



**Evelynne Clavelier** (S'84 - M'85 - SM'02) was born in France in 1961. She received the M.S. degree in physics engineering from the Ecole Nationale Supérieure d'Ingénieurs Electriciens de Grenoble (ENSIEG).

She is co-founder of the Excem corporation, based in Maule, France. She is CEO of Excem. She is also manager of Eurexcem (a subsidiary of Excem) and President of Tekcem, a company selling or licensing intellectual property rights. She is also an active engineer and researcher. Her current research area is radio communications. She has also done research work in the areas of electromagnetic compatibility (EMC) and signal integrity. She has taken part in many electronic design and software design projects of Excem.

Prior to starting Excem in 1988, she worked for Schneider Electric (in Grenoble, France), STMicroelectronics (in Grenoble, France), and Signetics (in Mountain View, USA).

Ms. Clavelier is the author or a co-author of about 80 technical papers. She is co-inventor of about 80 patent families. She is a licensed radio amateur (F1PHQ).